






## The STUDfinder™ Installation System

STUDfinder combines precisely spaced nail slots with indicator letters, designed for accurate and secure installation.



### **STUDfinder for Accuracy**


- Nail slots align with 16" on-center standards for stud spacing.
- Indicator letters help:
  - Determine location of studs
  - Ensure nails are positioned correctly
  - Ensure correct number of nails are used





# **STUDfinder for Security and Performance**

- Nailing to studs provides a strong and secure connection.
- Protects against blow offs from under nailing.
- Protects against buckling from over nailing.
- Helps avoid nailing into hazardous items between studs like plumbing or wiring.



# **GREAT LOOKS AND AFFORDABILITY**



Woodgrain

Clapboard

in sterling gray

**LOW GLOSS COLORS** 13 Low-Gloss Colors with **Coordinating Trim Colors** 

Clapboard in

natural clay

Color-Clear-Through Construction

herringbone

STYLES AND FINISHES Triple 3" Woodgrain Clapboard

Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard

Double 4-1/2" Woodgrain Dutchlap

**THICKNESS** .040" Nominal

STUDfinder™ Installation System **NAIL HEM AND LOCK** 

RigidForm™ 135 Nail Hem

Technology and DuraLock®

Post-Formed Lock

1/2" PANEL PROJECTION

> FIRE RATING Class 1(A)

**WARRANTY** Lifetime Limited with PermaColor™

Lifetime Fade Protection

Front Cover

. Woodgrain

Clapboard


in savannah wicker

> Siding: Encore Double 4" Dutchlap in cypress. Vinyl Carpentry<sup>®</sup> & Restoration Millwork<sup>®</sup>. Trim:


#### **RigidForm™ Technology**

RigidForm 135 (rolled-over nail hem) technology stiffens siding for a straighter-on-the-wall appearance and has been tested\* to withstand wind load pressures up to 135 mph.

\* Wind load rating per VSI wind speed calculation guidelines.



DuraLock® features an oversized rigid tear-drop shape which is substantially larger than many competitors' locks, providing secure installation.



The angular locking leg creates a secure, snap-fit installation, allowing for necessary expansion and contraction.

Permacolor  LIFETIME FADE PROTECTION  Color performance, impact resistance and durability are assured through our exclusive PermaColor  System, a blend of our own Certavin  resin, superior micro-ingredients and state-of-the-art pigment chemistry.	Triple 3" Clapboard (woodgrain)	Double 4" Clapboard (woodgrain)	Double 5" Clapboard (woodgrain)	Double 4-1/2" Dutchlap (woodgrain)	
Oxford Blue	•	•	•	•	
Cypress		•	•	•	
Natural Clay	•	•	•	•	
Savannah Wicker	•	•	•	•	
Sterling Gray	•	•	•	•	
Light Maple	•	•	•	•	
Desert Tan		•	•	•	
Desert run	_	•	-		
Warm Sand	•	•	•	•	
	•	•	•	•	
Warm Sand	•	• • •	• •	•	
Warm Sand Herringbone	•	• • •	• • •	•	



Colonial White

**NOTE:** Colors throughout this brochure are simulated. Consult product samples before making final selection.

Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help you "Visualize Your Home" Start now at certainteed.com/colortools





Polymer Shakes & Shingles







Insulated Sidina



PVC Exterior Trim & Beadboard



Decking and Railing



Vinyl Siding



Vinyl Carpentry® Trim



Housewrap



Professional: facebook.com/CertainTeedFreedomofChoice Consumer: facebook.com/CertainTeedLivingSpaces

Be Certain Confidence worth building on:

ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE • FOUNDATIONS GYPSUM • CEILINGS • INSULATION • PIPE

www.certainteed.com http://blog.certainteed.com CertainTeed Corporation P.O. Box 860

Valley Forge, PA 19482

Professional: 800-233-8990 Consumer: 800-782-8777

© 4/13 CertainTeed Corporation, Printed in U.S.A. Code No. WT040

